

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/003257	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 14:11
S2	8	((AKIRA) near2 (OHTSU)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/29 14:42
S3	4415	(error OR trouble OR problem) SAME (copier) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:46
S4	14189	(error OR trouble OR problem) SAME (scan\$4 AND print\$4) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:46
S5	911	(error OR trouble OR problem) AND (358/1.14).CCLS. AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:48
S6	85721	(error OR trouble OR problem) SAME (stop OR halt OR suspend) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:49
S7	44130	(error OR trouble OR problem) WITH (stop OR halt OR suspend) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:50
S8	1928	(error OR trouble OR problem) WITH (stop OR halt OR suspend) AND (print\$4 AND scan\$4 AND cop\$4) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:50

S9	23	((error OR trouble OR problem) WITH (stop OR halt OR suspend)).AB. AND (print \$4 AND scan\$4 AND cop\$4) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 15:51
S10	31	((error OR trouble OR problem OR abnormal\$5) WITH (stop OR halt OR suspend)).AB. AND (print\$4 AND scan\$4 AND cop \$4) AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:06
S11	8	S10 not S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:08
S12	1102	(358/1.14).CCLS. AND (@ad<="20011206" OR @rlad<="20011206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:14
S13	824	(358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:14
S14	518	(print\$4) AND (scan\$4) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:15
S15	454	((print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:17
S16	9	((print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5)).AB. AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:17
S17	1	(10/640045).APP.	USPAT; USOCR	ADJ	ON	2008/05/29 16:23
S18	6	("4860119" "5507003" "5532849" "5565964" "5724154" "6804016").PN. OR ("7209247").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/05/30 12:32

S19	398	((stor\$4) WITH (memor\$4)) AND ((print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 10:20
S20	295	((stor\$4) WITH (memor\$4)) AND (cop\$3) AND ((print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5)) AND (358/1.14). CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 10:23
S21	313	((stor\$4) WITH (memor\$4)) AND (cop\$4) AND ((print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5)) AND (358/1.14). CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 10:24
S22	147	((stor\$4) WITH (memor\$4)) AND (cop\$4) AND (compress\$4 OR decompress\$4) AND ((print \$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5)) AND (358/1.14). CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 10:30
S23	93	(((stor\$4) WITH (memor\$4)) SAME (compress\$4 OR decompress\$4)) AND ((cop \$4) AND (print\$4) AND (scan \$4) AND (error OR trouble OR problem OR abnormal\$5)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 10:32
S24	3	(((stor\$4) WITH (memor\$4)) SAME (compress\$4 OR decompress\$4) SAME ("on the fly" OR on-the-fly)) AND ((cop \$4) AND (print\$4) AND (scan \$4) AND (error OR trouble OR problem OR abnormal\$5)) AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 12:47

S25	3510	(((stor\$4) WITH (memor\$4)) SAME (compress\$4 OR decompress\$4)) AND ((cop \$4) AND (print\$4) AND (scan \$4) AND (error OR trouble OR problem OR abnormal\$5)) AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:40
S26	2521	(((stor\$4) WITH (memor\$4) WITH (compress\$4 OR decompress\$4)) AND ((cop \$4) AND (print\$4) AND (scan \$4) AND (error OR trouble OR problem OR abnormal\$5)) AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:41
S27	1094	(((stor\$4) WITH (memor\$4) WITH (compress\$4 OR decompress\$4)) AND ((cop \$4) AND (print\$4) AND (scan \$4) AND (error OR trouble OR problem OR abnormal\$5)) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:41
S28	227	(((stor\$4) WITH (memor\$4) WITH (compress\$4 OR decompress\$4) SAME (copy\$4 OR sync\$8)) AND ((cop\$4) AND (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5)) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:42
S29	1	(severity NEAR2 error) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:46
S30	1	(severity NEAR2 (error OR problem OR trouble OR abnormal\$4)) AND (358/1.14). CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:54
S31	3	((severity OR magnitude) NEAR2 (error OR problem OR trouble OR abnormal\$4)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:56

S32	2	((sever44 OR magnitude) NEAR2 (error OR problem OR trouble OR abnormal\$4)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:56
S33	14	((sever\$4 OR magnitude) NEAR2 (error OR problem OR trouble OR abnormal\$4)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 13:56
S34	28	(stop NEAR2 print\$4) WITH ((error OR problem OR trouble OR abnormal\$4)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 14:08
S35	83	((stor\$4) WITH (memor\$4) WITH (compress\$4 OR decompress\$4)) AND ((cop\$4) AND (print\$4) AND (scan\$4) AND (error OR trouble OR problem OR abnormal\$5)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 15:44
S36	0	2006/0099993	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 16:31
S37	2	"20060099993"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/02 16:31
S38	8	(((stor\$4) WITH (memor\$4)) SAME (compress\$4 OR decompress\$4)) AND ((print\$4) WITH (scan\$4) WITH (page memory)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:21
S39	12	(((stor\$4) WITH (memor\$4)) SAME (compress\$4 OR decompress\$4)) AND ((print\$4) WITH (scan\$4) WITH (buffer)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:27

S40	0	(((stor\$4) WITH (memor\$4)) SAME (compress\$4 OR decompress\$4)) AND (((cop \$4) OR ((print\$4) WITH (scan \$4))) WITH (buffer OR page memory) WITH (bypass OR by- pass)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:33
S41	0	((((cop\$4)) OR ((print\$4) WITH (scan\$4))) WITH (buffer OR page memory) WITH (bypass OR by-pass)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:34
S42	0	((((cop\$4)) OR ((print\$4) WITH (scan\$4))) WITH (buffer OR page memory) SAME (bypass OR by-pass)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:34
S43	95	((((cop\$4)) OR ((print\$4) WITH (scan\$4))) WITH (buffer OR page memory)) AND (358/1.14).CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:34
S44	0	((((cop\$4)) OR ((print\$4) WITH (scan\$4))) WITH (buffer OR page memory)) AND ("358").CCLS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:35
S45	1449	((((cop\$4)) OR ((print\$4) WITH (scan\$4))) WITH (buffer OR page memory)) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:35
S46	474	(((stor\$4) WITH (memor\$4)) SAME (compress\$4 OR decompress\$4)) AND (((cop \$4)) OR ((print\$4) WITH (scan \$4))) WITH (buffer OR page memory)) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:35

S47	474	(((stor\$4) WITH (memor\$4)) SAME (compress\$4 OR decompress\$4)) AND (((cop \$4)) OR ((print\$4) WITH (scan \$4))) WITH (buffer OR page memory)) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:36
S48	0	(((stor\$4) WITH (memor\$4)) SAME (compress\$4 OR decompress\$4)) AND (((cop \$4)) OR ((print\$4) WITH (scan \$4))) WITH (buffer OR page memory) WITH (bypass OR by- pass)) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 08:38
S49	9	(primary memor\$4) SAME (secondary memor\$4) SAME (compress\$4 OR decompress \$4) AND ("358").CLAS. AND (@ad<="20001206" OR @rlad<="20001206")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/03 14:55

6/ 3/ 2008 6:38:58 PM

C:\Documents and Settings\fguillermety\My Documents\EAST\Workspaces\10003257 - Image
Forming Apparatus and Image Forming Method.wsp